



CAPE STEAM

WINE INDUSTRY PRODUCT CATALOGUE 2026





# COLOUR CODED TOOLS

"X" MARKS YOUR COLOUR

Our Vikan Colour Codes are indicated with an "X" behind it. Here you fill in the colour you are interested in to complete your codes

# VIKAN HYGIENE SOLUTIONS



## QUICK FACTS

- ✓ Professional Cleaning Tools
- ✓ Made in Denmark
- ✓ Ergonomic Design
- ✓ Robust & Durable
- ✓ Long Lifespan
- ✓ Designed for Industry Use
- ✓ HACCP Compliant
- ✓ Easy to Clean
- ✓ Available in 12 Colours
- ✓ Easy to Handle

## INDEX

Shovels, Fork and Rake	4
Ultra Hygiene Squeegee	6
Sweeping Brooms	8
Hygienic Floor Squeegees	12
Tube Cleaners	14
Pipe Cleaning	16
Drain Cleaning	17
Vikan Foam Concept	18
Washdown Equipment	20
Vikan Buckets	22
Wall Brackets	24
Clips and Hooks	25
Locking Hoods	26
Shadow Boards	28



# SHOVELS, FORK & RAKE

VIKAN HYGIENE SOLUTIONS



Hygiene Rake - 56915



The hygiene rake is mostly used to empty out fresh produce from large containers. It is attached to a handle; either standard or telescopic.



## Ultra Hygienic Handles 2964x

Reduce the risk of cross contamination with a lightweight, sturdy Ultra Hygienic Handle that is free of crevices where bacteria can hide.

ULTRA HYGIENIC HANDLE 17  
2964x | 1700mm  
●●●●●

## Hygiene Rake 5691

Empty fresh produce from large containers using this Hygiene Rake. For winemaking, the rake can be used to remove residual grapes from the tipper during grape harvest. Available with telescopic or standard handles. A strengthened neck joint allows for heavy-duty use.



HYGIENE RAKE  
205 x 210 x 230mm  
5691x - Threaded Handle Required  
●

## Hygiene Fork | 5690


Use this Hygiene Fork to empty fresh produce from large containers during harvesting. Features a reinforced handle with an aluminium inner tube and an ergonomic design to prevent back strain.



HYGIENE FORK (EASY GRIP)  
1275 x 265 x 120mm  
5690x  
●

## Draining Shovel | 5603


The holes enable the water/liquid to drain quickly from the food products. Suitable for all industries.



DRAINING SHOVEL (EASY GRIP)  
1145 x 380 x 340mm  
5603x  
●

## D-Grip Shovel | 5625x

This fully moulded, one piece hygiene shovel is lightweight and durable. Its one piece construction eliminates areas where bacteria can be harboured. The smooth surface makes it extremely easy to clean.



SHOVEL (D-GRIP)  
1040 x 387 x 90mm  
5625x  
●●●●●●●●●●

# ULTRA HYGIENE SQUEEGEE



## PREVENT OVER TIGHTENING

Tapered inside thread prevents over tightening of the handle when mounted.

## IMPROVED HYGIENE

Smooth and rounded surfaces providing better hygiene and easier cleaning.

## SPLASH GUARD

Hygienic integration of wing provides robustness and an effective splash guard.

## INCREASED DURABILITY

Elongated body reduces wear and tear on the ends of the rubber lip to enhance durability and efficiency.

## MORE EFFICIENT CLEANING

Very flexible rubber lip provides more effective and efficient cleaning.

## MATERIALS


Meets FDA and EU-regulations. Designed and made in Denmark and marked with glass and fork symbol on underside.



x= 1 2 3 4 5 6 7 8 9 66 77 88

This ultra-hygienic squeegee combines ultimate hygiene with effective water removal from walls, floors and tables. The rubber lip angled blade makes it easy to remove water from corners and other difficult-to-reach areas and the splash guard ensures that liquid does not spill and contaminate dried surfaces.


### ULTRA HYGIENE SQUEEGEE 600



7160x | 600mm



### ULTRA HYGIENE SQUEEGEE 500



7150x | 500mm



### HAND SQUEEGEE 250



7125x | 245mm



An ultra-hygienic single-bladed squeegee for removing excess water and food debris from food-preparation surfaces. The soft and flexible blade is fully-moulded to ensure it is easy to keep completely clean.



# SWEEPING BROOMS



**SH** 2-PHASE SWEEPING BROOM LARGE  
**3174x** | 410mm  
 ●●●●●●●●●●  
 This broom has firm front bristles that loosen stubborn dirt and heavier debris, while the softer rear bristles gather the finer particles.



**SH** 2-PHASE SWEEPING BROOM LARGE  
**3194x** | 610mm  
 ●●●●●●●●●●

# SCRUBBING BROOMS




**H** WALL-/FLOOR WASHING BRUSH  
**7060x** | 305mm  
 ●●●●●●●●●●  
 This Washing Brush is ideal for cleaning tiled floors in food preparation areas. Can be used with any Vikan handle.



**M** HI-LOW BRUSH  
**7047x** | 265mm  
 ●●●●●●●●●●  
 Effectively clean and scrub floor-wall junctions and under machines and equipment with this High-Low Brush, featuring an angled thread that lets you use the brush with the handle positioned parallel to the floor. Also ideal for cleaning drains and gulleys.

X = 1 2 3 4 5 6 7 8 9 66 77 88



## ULTRA HYGIENIC HANDLES

- ULTRA HYGIENIC HANDLE 17  
**2964x** | 1700mm  
 ●●●●●
- ULTRA HYGIENIC HANDLE 15  
**2962x** | 1500mm  
 ●●●●●●●●●●
- ULTRA HYGIENIC HANDLE 13  
**2960x** | 1300mm  
 ●●●●●●●●●●
- ULTRA HYGIENIC HANDLE 10  
**2968x** | 1000mm  
 ●●●●●●●●●●
- ULTRA HYGIENIC HANDLE 65  
**2966x** | 650mm  
 ●●●●●●●●●●



Reduce the risk of cross contamination with a lightweight, sturdy Ultra Hygienic Handle that is free of crevices where bacteria can hide. Designed with vertical ridges and a matt finish that ensures an improved grip – even with greasy hands.



- ✓ Fully Moulded Handles
- ✓ Multi Positioning Grips
- ✓ Rounded Top for Pushing
- ✓ Ergonomic Design Combats Fatigue
- ✓ Tension Free Gripping
- ✓ Food Contact Compliant



X = 1 2 3 4 5 6 7 8 9 66 77 88



**SF S** WALL WASHING BRUSH  
**7067x** | 240mm  
● ● ● ● ●

Easily remove dust and dirt from high level, difficult-to-reach areas with this fully adjustable waterfed Washing Brush, ideal for a variety of cleaning tasks. Features split fibre bristles that retain water to improve cleaning efficacy. Can be used with any Vikan handle.



X = 1 2 3 4 5 6 7 8 9 66 77 88



**WATERFED HANDLE**  
With 1/2" Male Coupling  
**2991Qx** | 1500mm

**WATERFED TELESCOPIC HANDLE**  
With 1/2" and 3/4" Hose Tail  
**2973x** | 1575-2780mm

**WATERFED TELESCOPIC HANDLE**  
With Male Coupling  
**2973Qx** | 1600-2780mm

**1/2" HOSE COUPLING**



For a 1/2" hose  
**0701** | Nickel Plated Brass  
**0701SS** | Stainless Steel

**Waterfed Handle - 2973x**  
Telescopic waterfed handles give great reachability - up to 2,78m for high to reach areas. It is also coupled with a hose to ensure proper washdown and an applicable broom.

# HYGIENIC FLOOR SQUEEGEE

The double bladed hygienic floor squeegee is designed for areas where both high levels of hygiene and effective water removal are required. This squeegee can be used on all types of surfaces, including tiled and safety flooring.

The cassette can be removed easily for cleaning or replacement.

(Series 7733 for replacement blades).



Hygienic Floor Squeegee 600 - 77143



## QUICK FACTS

- ✓ Lightweight Design
- ✓ Easy to Clean
- ✓ Replaceable Cartridge
- ✓ Sweeps Solids
- ✓ Leaves Surface Dry
- ✓ Durable



Hygienic Floor Squeegee 500 - 77134

x= 1 2 3 4 5 6 7 8 9 66 77 88

## 2C SQUEEGEES

### HYGIENIC FLOOR SQUEEGEE - 500



7713x | 500mm



7733x | Replacement Cassette



### HYGIENIC FLOOR SQUEEGEE - 600



7714x | 600mm



7734x | Replacement Cassette



## CLASSIC SQUEEGEES

### FLOOR SQUEEGEE - 500



7753x | 500mm



7773x | Replacement Cassette



### FLOOR SQUEEGEE - 600







7754x | 600mm



7774x | Replacement Cassette



## Changing the Squeegee Cassette



HOW TO CLEAN YOUR SQUEEGEE

ø10mm

# TUBE CLEANERS

x = 1 2 3 4 5 6 7 8 9 66 77 88

ø20mm

ø40mm

ø50mm

ø60mm

TUBE CLEANER 10

TUBE CLEANER 20

TUBE CLEANER 40

TUBE CLEANER 50

TUBE CLEANER 60

**H**  
ø10mm  
5375x



**M**  
ø20mm  
5376x



**H**  
ø40mm  
5378x



**M**  
ø50mm  
5379x



**M**  
ø60mm  
5370x



510mm



Tube Brush Ø60mm (53515) with Flexible Handle 200mm (53525)

This versatile Tube Brush is designed for cleaning pipes found in dairies, breweries and the fishing industry. For use with Vikan flexible handles 53515 and 53525

**M** TUBE BRUSH 12  
ø12mm - 200mm | uses 5351  
5354x



**M** TUBE BRUSH 60  
ø60mm - 200mm | uses 5351  
5356x



## SHORT HANDLED BRUSH



4192x | 270mm



## DETAIL BRUSH



4401x | 205mm



## HAND SQUEEGEE 250



7125x | 245mm



## HAND SCOOP



5673x | 550mm



Pipe Brush with Handle  
5381906



# PIPE CLEANING



Angle Adjustable

**S** TOP OF PIPE BRUSH  
5371x | 530mm


Use together with a telescopic handle to remove dust from pipes and difficult to reach areas.

**M** TOP OF PIPE BRUSH  
5374x | 510mm

Use together with a telescopic handle to remove water from cooling pipes.



# DRAIN CLEANING



**H** PIPE CLEANER 90  
538090x | ø90

Pair with handle to clean channel drains



**H** DRAIN CLEANING BRUSH  
5361x | 275mm / Slot Channel

Pair with handle to clean channel drains



# VIKAN FOAM CONCEPT

## LOW PRESSURE CLEANING 3 -10 BAR



x= 1 2 3 4 5 6 7 8 9 66 77 88



### What is the pre-emptive step prior to rigorous scrubbing?

The Vikan Foam Concept enables quick and broad application of foamed cleaning detergent for large open plant cleaning; be it populated with equipment or open surfaces.

The ability to use water economically is highly important and the Vikan v Concept ensures that water is not wasted and may be used when required.



COLD WATER HOSE



THERMOCLEAN AL 20



FOAM SPRAYER WITH JET SPRAY

### WATERGUNS

#### HEAVY DUTY WATERGUN



9324x | 24 Bar / 95°C

● ● ● ● ●

#### WATERGUN REPAIR KIT



30073A3

Spring, Plunger & Nozzle

#### SPRAYING GUN



93229 | 6 Bar / 40°C

●

### HOSES

#### 1/2" COLD WATER HOSE



9332 | 12 Bar / 40°C

15m - Food Grade



#### 1/2" HYGIENE HOSE



20 Bar / 70°C

15m - 93363 - Food Grade

20m - 93373 - Food Grade



#### HOSE SUSPENSION - SS



9345

Wall Mounted - Max 20m hose

### FOAMING

#### 1.4L FOAM SPRAYER

incl. jet spray



9305x | 10 Bar / 40°C

11715 - Wall Bracket available

● ● ● ● ●

#### WATERGUN FOR FOAM SPRAYER



93209 | 10 Bar / 40°C

#### INJECTOR WITH SUCTION HOSE



93149

Complete Set

### DOSING

#### FOAM SPRAYER

incl. jet spray



2-8 Bar / 60°C

9303x

● ● ● ● ●

#### SUCTION HOSE KIT

Complete set



94815

Quick Release Coupling Included

#### STEEL SUSPENSION BRACKET



9348

Used for 9301x/9305x | SS

# WASHDOWN EQUIPMENT

The Vikan Heavy Duty Watergun is a game changer. Enabling high quality water distribution within a durable casing, it is able to withstand tough environments and ensure efficient water consumption.

Watergun Code 9324

1/2" Male Coupling Code 0712

1/2" Female Coupling Code 0701

1/2" Hose Clamp Code B759

1/2" Hose Pipe

All couplings to be used up to a maximum of 40°C and 20 Bar.

1/2" Tap Fitting Code 0700

1/2" Female Coupling Code 0701

1/2" Hose Clamp Code B759

1/2" Hose Pipe

(water in)

**CONTROLLING WATER USAGE WITH WATERTIGHT WATER CONTROL**

# COUPLINGS



## 1/2" MALE COUPLING

For Tap Connection



**0700** | Nickel Plated Brass  
With 1/2" and 3/4" Female Thread

## 1/2" MALE COUPLING

For Watergun Connection



**0712** | Nickel Plated Brass  
With 1/2" Male Thread

The couplings are manufactured from chromium plated brass. The couplings must be ordered separately depending on the hose size.



## 1/2" & 3/4" DOUBLE HOSE TAIL



**0708** | Nickel Plated Brass  
With 1/2" Male Thread

## 2-WAY HOSE CONNECTOR



**0705** | Nickel Plated Brass  
With 1/2" Male Couplings

## 1/2" HOSE COUPLING



For a 1/2" hose  
**0701** | Nickel Plated Brass  
**0701SS** | Stainless Steel

## 1/2" WATERTIGHT HOSE COUPLING



**0703** | Nickel Plated Brass  
For a 1/2" hose

## 1/2" HOSE COUPLING



**0725** | Nickel Plated Brass  
With 1/2" Female Thread

## 1/2" HOSE COUPLING



**0724** | Nickel Plated Brass  
For a 3/4" hose

## 3/4" HOSE COUPLING



**0716** | Nickel Plated Brass  
For a 3/4" hose

## ADJUSTABLE NOZZLE



**0722** | Nickel Plated Brass  
With 1/2" Male Coupling

# VIKAN BUCKETS



20 LITRE BUCKET

5692x



12 LITRE BUCKET

5686x



6 LITRE BUCKET

5688x



# SCOOPS



Large Scoop

HAND SCOOP

5670x | 2L



Medium Scoop

HAND SCOOP

5675x | 1L



Small Scoop

HAND SCOOP

5677x | 0.5L



x= 1 2 3 4 5 6 7 8 9 66 77 88

2L MEASURING JUG  
6000x | 225mm



- ✓ Smooth & non-porous surfaces
- ✓ Food Compliant
- ✓ Available in ML & OZ
- ✓ Precise pouring

Fill, measure and pour more accurately with this cleverly designed jug. Easy-to-read transparent scales on each side let you choose your unit of measurement (millilitres /UK fluid ounces /US fluid ounces). This elongated spout and optimised handle ensures easy, precise pouring, and the wide bottom ensures stability and hygienic cleaning.

Safe Stacking • Snap-on Lid • Stainless Steel Handle (6L+12L)  
Easy-read Measures • Sloped Backside



Combination Bracket for  
6L, 12L, 20L Buckets. Code: 162000

This bracket allows Vikan's 6L bucket (5688) and 12L bucket (5686) to hang when filled and it can also store the Vikan 6L (5688), 12L (5686) and 20L (5692) buckets upside down after cleaning. A small hook on the bracket allows for lid or brush storage, ensuring optimal hygiene levels.



# WALL BRACKETS

STORAGE SOLUTIONS

## WALL BRACKET (SMALL)

5401x | 250mm



## WALL BRACKET (MEDIUM)

5501x | 500mm



## WALL BRACKET (LARGE)

5511x | 900mm



250mm  
Fits three tools

500mm  
Fits six tools

900mm  
Fits ten tools



HOW IT WORKS



# CLIPS & HOOKS

toolflex®

## TOOLFLEX - ORIGINAL SYSTEM

Thirty years after the initial product launch, Toolflex has gone from a simple idea to a smart system. Manufactured in Sweden, products have continuously been developed both in terms of design and materials in order to maintain the highest quality standards and adapt to ever-changing market needs in specifically the hygiene industry.



### CLIPS

#### CLIPS (SMALL)



5001 | 15-20mm

#### CLIPS (MEDIUM)



5101 | 20-30mm

#### CLIPS (LARGE)



6251 | 25-35mm


#### CLIPS (EXTRA-LARGE)



5201 | 30-40mm

### HOOKS

#### HOOK (SINGLE)




5301 | Stainless Steel

#### HOOK (DOUBLE)





5303 | Stainless Steel

Equipment storage and organisation does not need to be complicated. Ingenious design is all that's needed to simplify your everyday life.



Slides left and right in rail



# LOCKING HOODS

Control, protect and ultimately maintain your cleaning equipment with the aid of locking mechanisms. Perfect for safekeeping off the floor, yet visible, making it quick and easy to see if something is missing or damaged.



Locking hole (8mm) for padlock included



1 HOOK - LOCKING HOOD

100 x 75 x 76mm

**PSLH**

2 HOOK - LOCKING HOOD

200 x 75 x 76mm

**PDLH**

8 HOOK - LOCKING HOOD

600 x 75 x 80mm

**PD-02**

12 HOOK - LOCKING HOOD

900 x 75 x 80mm

**P-074**

x= 1 2 3 4 5 6 7 8 9 66 77 88



Easy, fast access to stock. Can be used on a shadow board or as part of your wall-mounted stock control area.



Our locking hoods can be found in 4 standard sizes. Respectively they can fit 1, 2, 8 or 12 hanging tools and are available in lengths of 100mm, 200mm, 600mm & 900mm.



# SHADOW BOARDS

Our 5S shadow boards provide a simple and easy to follow identification process to help you maintain a safe and efficient workplace. Portable shadow board frames are made of a high-grade stainless steel, which provides a hygienic construction and designed for superior stability.

## PORTABLE SHADOW BOARDS

### PORTABLE - SMALL

800 x 1900mm

#### 19080PF

Make it lockable - add a locking hood



### PORTABLE - MEDIUM

1200 x 1900mm

#### 19120PF

Make it lockable - add a locking hood



### PORTABLE - LARGE

1500 x 1900mm

#### 19150PF

Make it lockable - add a locking hood



### HOW TO CLEAN YOUR SHADOW BOARD



Shadow boards may be customised for Food Contact, Floor Contact, Allergen Control, Glass Breakage and off-Floor Contact environments.

All board options are also available with solid colour backgrounds, to match your tool colours.

X = 1 2 3 4 5 6 7 8 9 66 77 88

## WALL MOUNTED SHADOW BOARDS

### WALL MOUNTED - SMALL

800 x 1900 x 8mm

#### STA031



### WALL MOUNTED - MEDIUM

1200 x 1900 x 8mm


#### STA051



### WALL MOUNTED - LARGE

1500 x 1900 x 8mm

#### STA050



Customized sizes or solutions available on request

Tools, clips and hooks are sold separately

Shadow boards can be ordered as a wall mounted option, portable single sided or double sided option, or placed inside a cage.



## QUICK FACTS

- ✓ Effective visual management solution
- ✓ Enhances hygiene programmes
- ✓ Reduces the risk of cross-contamination
- ✓ Maximises space
- ✓ Reduces inter-departmental theft of tools
- ✓ Increases efficiency in the workplace
- ✓ Promotes accountability and traceability

# SHADOW BOARD CAGES

Our Shadow Board Cages are made of Grade 304 stainless steel (to prevent corrosion) or a 3mm mild steel with epoxy coating (a budget friendly option in less wet areas) and provide a hygienic surface which is easy to clean. All-welded assembly ensures a robust frame. We offer mobile and floor mounted options. Their expected lifespan to be 3-5 years depending on use. All cages are made to order.



## FLOOR MOUNTED - STD SIZES

CODE	FLOOR MOUNTED	WIDTH	HEIGHT	DEPTH
19080FS	S Single Sided	800mm	1900mm	450mm
19120FS	M Single Sided	1200mm	1900mm	450mm
19150FS	L Single Sided	1500mm	1900mm	450mm

Introducing our new Shadow Board Cage design, perfect for your food processing plant.



SHADOW BOARD CAGE INTRODUCTION



x= 1 2 3 4 5 6 7 8 9 66 77 88

## MOBILE CAGES - STD SIZES

CODE	MOBILE	WIDTH	HEIGHT	DEPTH
19080MS	S Single Sided	800mm	1900mm	450mm
19120MS	M Single Sided	1200mm	1900mm	450mm
19150MS	L Single Sided	1500mm	1900mm	450mm

Simple yet robust stainless steel hinges are installed on the doors. These ensure longevity and smooth opening and closing of doors and are manufactured for heavy duty loads to carry weights of up to 200kg

Depth of the cages provides enough space for buckets or trolleys to be placed inside the cage.

Durable 5mm polycarbon sheeting does not shatter or crack easily. Fairly scratch resistant.

- ✓ Strong
- ✓ Durable
- ✓ Lockable
- ✓ Mobile
- ✓ Hygienic



Integrated lock ensures no loose units or padlocks.

Anti-theft screws complicates dissembling of unit which minimizes theft.

Fixing points ensures sturdy support for whole structure and sheets. Can easily be replaced if necessary.



Large diameter, heavy duty nylon wheels with ball bearings and locks ensure long lasting mobility over uneven surfaces as well as being able to lock the cage in position so it does not topple over.



**CAPE STEAM**

WINE INDUSTRY PRODUCT CATALOGUE 2026

